



VERTICAL SECTION



SHAFT PLAN



PIT

CHARACTERISTICS	
LOAD (Q):	1000 Kg
CAR WEIGHT (P):	1225 Kg
TOTAL WEIGHT (P+Q):	2225 Kg
PERSONS:	13
RATED SPEED:	1/0,25 m/s
TRAVEL:	----- mm
STOPS:	-
MACHINE DENOMINATION:	-----
TRACTION PULLEY:	ø570
DEFLECTION PULLEY:	2xø400
SUSPENSION:	1:1
ROPES:	6x10ø
OVERSPEED GOV. ROPE:	ø6
CAR GUIDE RAIL:	90/75/16
CWT GUIDE RAIL:	65/54/8
CAR SAFETY GEAR:	DMONTED PR-3500 UD
CWT SAFETY GEAR:	PI-30
CAR BUFFER:	2xø125x80
CWT BUFFER:	2xø100x80
MACHINE POWER:	20 CV
POWER VOLTAGE:	380 V
LIGHTING VOLTAGE:	220 V
PHASES:	3
NOMINAL CURRENT:	32 A
START CURRENT:	106 A
CONTROLLER:	-----
R1:	24.270 N
R2:	40.359 N
R3:	30.548 N
R4:	11.234 N
R5:	24.383 N

DENOIMINATION		CUSTOMER		DRAWING	
Nº OF PIECES	4 3 2 1	2008	Date:	POS. MATERIAL WEIGHT	
GROUP		Drawn: 18-10	J.Pardos		
Checked: 18-10					
Scale: Traction lift					
S.E. 2 Entrances 180° car 900kg					
Subs. Draw N°:					
Replaced by:					
Ed.:0					

