



VERTICAL SECTION



SHAFT PLAN



PIT

CHARACTERISTICS	
LOAD:	4000 Kg
PERSONS:	53
RATED SPEED:	- m/s
TRAVEL:	- mm
HEAD ROOM:	- mm
PIT:	- mm
STOPS:	-
FLOORS:	-
HYDRAULIC EQUIPMENT:	GMV
PISTON: (2)	-
ACTING:	1:1
CAR GUIDE RAIL:	125/82/16
CAR BUFFERS: (4)	$\phi 100 \times 80$
MOTOR POWER:	- CV
PUMP FLOW:	- L/min
START:	Δ/∇
POWER VOLTAGE:	380 V
LIGHTING POWER:	240 V
PHASES:	3
NOMINAL CURRENT:	- A
START CURRENT:	- A
PIPE: (2)	-
PIPE:	-
CONTROLLER:	-
R1:	69.677 N
R2:	32.864 N
R3:	71.187 N

Date		Modification	
Subs. Draw N°		Replaced by:	
Scale: S/E		SHAFT LAYOUT	
CAR 1acc. 2500x5400		DRAWING	
FABRICACION DE ELEVADORES S.L.		Faleasa	
DENOMINATION		POS. MATERIAL WEIGHT	
CUSTOMER		DRAWING	
Date		Date	
Name		Name	
CUSTOMER		CUSTOMER	
VºBº		VºBº	
Drawn		Drawn	
2008		2008	
1		1	
2		2	
3		3	
4		4	
Nº OF PIECES		Nº OF PIECES	
GROUPS		GROUPS	