



VERTICAL SECTION



SHAFT PLAN



PT

CHARACTERISTICS	
LOAD:	4000 Kg
PERSONS:	53
RATED SPEED:	- m/s
TRAVEL:	- mm
HEAD ROOM:	- mm
PIT:	- mm
STOPS:	-
FLOORS:	-
HYDRAULIC EQUIPMENT:	GMV
PISTON: (2)	-
ACTING:	1:1
CAR GUIDE RAIL:	125/82/16
CAR BUFFERS: (4)	$\phi 100 \times 80$
MOTOR POWER:	- CV
PUMP FLOW:	- L/min
START:	Δ/Δ
POWER VOLTAGE:	380 V
LIGHTING POWER:	240 V
PHASES:	3
NOMINAL CURRENT:	- A
START CURRENT:	- A
PIPE: (2)	-
PIPE:	-
CONTROLLER:	-
R1:	69.677 N
R2:	32.864 N
R3:	71.187 N

Date		Modification													
<table border="1"> <thead> <tr> <th>N° OF PIECES</th> <th>GROUPS</th> <th>DATE</th> <th>NAME</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>3</td> <td>2</td> <td>1</td> </tr> <tr> <td>1</td> <td>1</td> <td>2008</td> <td>Drawn</td> </tr> </tbody> </table>				N° OF PIECES	GROUPS	DATE	NAME	4	3	2	1	1	1	2008	Drawn
N° OF PIECES	GROUPS	DATE	NAME												
4	3	2	1												
1	1	2008	Drawn												
DENOMINATION		CUSTOMER													
SHAFT LAYOUT		CAR 1acc. 2800x5000													
Scale: S/E		Subs. Draw N°													
FABRICATION DE ELEVAADORES S.L.		Replaced by:													
Ed.: 0		DRAWING													